

# NIGHT BREAKER H7-LED GEN2 PRO

## NIGHT BREAKER H7 LED GEN 2



**Street-Legal1)**

The NIGHT BREAKER LED family - OSRAM's first street-legal1) LED retrofit lamps.



**Up to 230% more brightness2) & 6000K**

See and be seen with OSRAM. Cool white color temperature similar to daylight. For more safety on the road, especially when driving at night



**Up to 5 times longer lifetime3)**

Vibration resistant, environmentally friendly, and cost-efficient



**4 Year OSRAM Guarantee4)**

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers

With the new NIGHT BREAKER LED GEN 2, OSRAMs next generation of street-legal1) H7 LED retrofit lamps are now on the market.

Further developed, optimized and redesigned by OSRAM - The new NIGHT BREAKER LED GEN 2 H7. This impresses with an improved optical design that enables higher luminance and can therefore achieve optimized illumination. It impresses with a revised, innovative design for a more modern look and is characterized by more efficient thermal management, which can lead to a lower heat load. With OSRAMs street-legal1) retrofit lamps, you can benefit from highly energy-efficient, bright and modern LED light. With the new street-legal1) NIGHT BREAKER GEN 2 H7-LED you can now upgrade the function of your high- and low beam lights of the vehicle to state-of-the-art LED technology. These LED replacement lamps are suitable as a replacement for conventional H7 lamps and bases. They offer a modern and bright white light with a color temperature of up to 6000 Kelvin and impress with up to 230% more brightness2), while the glare of other road users falls below the permissible maximum values by up to 50%2) In comparison to standard lamps, such as halogen lamps, these LED retrofit lamps consume up to 60% less energy and convince thanks to the LED technology and the specially developed vibration-resistant design, with up to 5 times longer life time3). You can now replace your vehicle lamps with OSRAM's revolutionary NIGHT BREAKER LED retrofit lamps and experience trend-setting brightness with road approval1) Additionally, OSRAM offers a dedicated guarantee on all NIGHT BREAKER LED retrofit lamps4)



# Product family datasheet

## Technical data

Product description	Product information				
	Order reference	Application (Category and Product specific)	Product legal advice 1	Product legal advice 2	Product legal advice 3
NIGHT BREAKER GEN2 H7 LED PRO	64210DWN BG2	High and low beam	1)Approved LED light source - only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see <a href="http://www.osram.com/nb-led">www.osram.com/nb-led</a>	2) Compared to minimum ECE R112. On top with 50% less glare.	3) compared to halogen lamps

Product description	Electrical data					Photometrical data	
	Nominal voltage	Nominal wattage	Power input tolerance	Test voltage	Power input	Light color LED	Luminous flux tolerance
NIGHT BREAKER GEN2 H7 LED PRO	12.0 V	16.00 W	±10 %	13.2 V	16.0 W	Cool white	±10 %

Product description	Luminous flux	Color temperature	Dimensions & weight			Lifespan	
			Length	Diameter	Product weight	Lifespan B3	Lifespan Tc
NIGHT BREAKER GEN2 H7 LED PRO	1500 lm	6000 K	77.9 mm	13.9 mm	60.00 g	1500 h	2500 h

Product description	Additional product data	Capabilities	Certificates & standards	Environmental information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
	Base (standard designation)	Technology	Standards	Date of Declaration
NIGHT BREAKER GEN2 H7 LED PRO	PX26d	LED	ABG	26-01-2024

Product description	Primary Article Identifier	Declaration No. in SCIP database
NIGHT BREAKER GEN2 H7 LED PRO	4062172369268   4055462452047   4062172404839	In work

## Product family datasheet

### Safety advice

Application advice: For more detailed application information and graphics please see product datasheet and user manual.

### Legal advice

1) Approved LED light source - only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see [www.osram.com/nb-led](http://www.osram.com/nb-led)

2) Compared to the minimum requirements of ECE R112, while the glare is below the maximum permissible values by up to 50%

3) In comparison to traditional Halogen lamps

4) For precise conditions please refer to: [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

